

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department - Allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM – Disciplinary Proceedings instituted against Sri C.Vijay Kumar the then General Manager (E), Project Division-V, HMWSSB and Superintending Engineer (now retired), Kakinada Municipal Corporation, Kakinada, East Godavari District - Appointment of Sri M.Zachariah, Chief Engineer, AMRDA., Vijayawada as an Enquiry Officer in place of Sri T.Anjaneyulu, Chief Engineer (retired), APCRDA - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.568

Dated:07.10.2021.

Read the following:-

1. Govt. Letter No.14929/Vig.II(1)/2013, dated.23.04.2018 of MA&UD (Vig.II) Dept., Government of Telangana with the enclosures of Vigilance Report No.62 (206/V&E/E1/2013), dated.05.06.2013 and other record.
2. G.O.Rt.No.1608, MA&UD (E2) Department, dated.05.11.2013.
3. Written Statement of Defence from Sri C.Vijay Kumar, the then General Manager (E), Project Division-V, HMWSSB, Hyderabad and Superintending Engineer (now retired), Kakinada Municipal Corporation, dt.05.12.2013.
4. G.O.Rt.No.638, MA&UD (Vig.I) Department, dated:04.07.2018.
5. G.O.Rt.No.639, MA & UD (Vig.I) Department, dated 04.07.2018.
6. G.O.Rt.No.252, MA&UD (Vig.I) Department, dated.18.03.2019.

* * *

ORDER:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri C.Vijay Kumar the then General Manager (E), Project Division-V, Hyderabad Metro Water Supply & Sewerage Board (HMWSSB), Hyderabad and Superintending Engineer (now retired), Kakinada Municipal Corporation, East Godavari District on the allegations of misappropriation of funds and unauthorized sub-letting and other irregularities in execution of sewerage works in Division Nos.5 and 8 of Hyderabad Metro Water Supply & Sewerage Board, Hyderabad under JNNURM.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. In the reference 4th read above, the Government appointed Sri T.Anjaneyulu, Chief Engineer, APCRDA., Vijayawada as an Enquiry Officer to inquire into the charges framed against the above said Charged Officer.

4. It is noticed that Sri T.Anjaneyulu, Chief Engineer, APCRDA., Vijayawada retired on 30.06.2019 on attaining the age of superannuation and the enquiry report is pending. Hence, it is considered to change the enquiry officer in place of Sri T.Anjaneyulu, to conclude the enquiry against the charged officer Sri C.Vijaya Kumar and to avoid delay.

(P.T.O.)

:: 2 ::

5. Now therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CCA) Rules 1991, the disciplinary authority hereby appoints Sri M.Zacharaiah, Chief Engineer, AMRDA., Vijayawada as an Enquiry Officer in place of Sri T.Anjaneyulu, Chief Engineer (retired), APCRDA., Vijayawada to inquire into the charges framed against the above said Charged Officer.

6. The Enquiry Officer shall submit his report within three months time, so as to avoid inordinate delay in finalizing the disciplinary proceedings against the Charged Officer.

7. A copy of Articles of charges, Written Statement of Defence of the charged officer is enclosed herewith. The Engineer-in-Chief (PH), A.P., Guntur shall provide the any other required connected records / material to the Enquiry Officer.

8. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To

Sri M.Zacharaiah, Chief Engineer & Enquiry Officer, AMRDA.,
Vijayawada - **through** the ENC (PH), A.P., Guntur (w.e.).

Sri T.Anjaneyulu, Chief Engineer (now retired), APCRDA., Vijayawada
- **through** the ENC (PH) A.P., Guntur.

Sri B.H.Srinivasa Rao, Superintending Engineer & Presenting Officer,
PH Circle, Visakhapatnam - **through** the ENC (PH), A.P., Guntur.

Sri C.Vijay Kumar, Superintending Engineer (now retired),
Kakinada Municipal Corporation, East Godavari District
- **through** the ENC (PH), A.P., Guntur.

Copy to:

The MA&UD (Vig.II) Department, Government of Telangana,
Telangana Secretariat, Hyderabad.

The Commissioner, Kakinada Municipal Corporation, East Godavari District.

The Secretary to A.P. Vigilance Commission, 5th Building, A.P. Secretariat.
SF/SCs.

// FORWARDED BY ORDER //


SECTION OFFICER.